


# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: JAN 23, 2023

SAMPLE: 1 GRAM VAPE CART (OTHER) // CLIENT: PACKAGE BROS. // BATCH: **PASS**  
EMPTY VAPE CARTRIDGES



MATRIX: OTHER  
CATEGORY: OTHER  
SAMPLE ID: BCL-230119-041  
COLLECTED ON: JAN 19, 2023  
RECEIVED ON: JAN 19, 2023  
SAMPLE SIZE: 5 UNITS



RESULTS CERTIFIED BY: DZOANA KLISARA, B.SC.  
LABORATORY DIRECTOR, BELCOSTA LABS  
JAN 23, 2023

*Dzoana Klisara*

## BCL-020: HEAVY METAL TESTING BY ICP-MS // JAN 21, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	1.5 µg/g	ND	0.001/0.05	PASS
CADMIUM	0.5 µg/g	ND	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	3 µg/g	< LOQ	0.0001/0.01	PASS

## ACCREDITATIONS



CERT NO. 4876.01

### A2LA ACCREDITED

BCL-020: HEAVY METAL TESTING BY ICP-MS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.